

**Gas Yarn Singeing Machine - Production Detail\* - Cotton - Fuel LPG**

Average Weight Loss 5%

Count N <sup>e</sup>	Speed MPM	Production in Kg. / Day of 22.5 Hrs.					
		No. of Drum					
		12	24	36	48	60	60
2/30	600	382	764	1146	1528	1910	1910
2/36	600	319	638	957	1276	1595	1595
2/40	600	287	574	861	1148	1435	1435
2/60	700	223	446	669	892	1115	1115
30	650	207	414	621	828	1035	1035
2/80	650	155	310	465	620	775	775
2/100	650	124	248	372	496	620	620
60	650	103	206	309	412	515	515
80	650	78	156	234	312	390	390

\* - Values are indicative only and not exact.

- If you want to know the exact production details send the yarn parameters to [info@susiram.in](mailto:info@susiram.in) or [saravanan@susiram.in](mailto:saravanan@susiram.in)
- Compact yarn can be processed 20% higher speed than the quoted speed.
- This chart is only for cotton yarn, for the other natural yarns like spun silk, viscose modal, flax, ramie, etc can also be processed in this machine. Send the yarn parameters by mail to get the possible production.